Webcast Auction

FORUM ENERGY TECHNOLOGIES

HYDRAULIC TORQUE & CNC MACHINE SHOP

13219 STAFFORD ROAD, SUITE A - MISSOURI CITY, TX 77489

WEDNESDAY, SEPTEMBER 30TH @ 10:00 A.M. CDT



OKUMA MULTUS B400W X 2000 II BIG BORE CNC MULTI-TASKING

Inspection: Tuesday, September 29th From 8:00 A.M. -4:00 P.M. CDT



2012

ZEISS ACCURA II CNC COORDINATE MEASURING MACHINE





(2) SLD TORQUEMASTER HYDRAULIC MAKEUP & BREAKOUT MACHINES



sset Sales, Inc.

Corporate Headquarters

163 Associates Lane Indian Trail, NC 28079 Toll Free 888.800.4442 704.821.4315 Fax 704.821.4325 www.asset-sales.com info@asset-sales.com

European Headquarters 6 Hill End Close, Norwood Green Halifax, West Yorkshire, HX3 8RH

Tel / Fax 07836.347880 peteraml@asset-sales.co.uk







SLD TORQUEMASTER HYDRAULIC MAKEUP & BREAKOUT MACHINE

HYDRAULIC MAKEUP/ BREAKOUT TORQUE MACHINES

SLD TorqueMaster 10" -70 Hydraulic Makeup & Breakout Machine with 2-3/8"-10" Capacity, Skid Mounted, Hydraulic Controls & Readouts, sn:20150903, mfg.2015

SLD TorqueMaster 7" -YNJ200/15 Hydraulic Makeup & Breakout Machine with 2-3/8"-7.67" Capacity, Skid Mounted, Hydraulic Controls & Readouts, sn:20171006, mfg.2017

CNC MULTI-TASKING CENTER

OKUMA Multus B400W x 2000II Big Bore CNC Multi-Tasking Center with Y-Axis, Dual 15" Chucks, Approx. 80" Centers, 27.95" Max. Turning Diameter, Main Spindle Speeds to 2,800 RPM with C-Axis, Sub-Spindle Speeds to 3,000 RPM, 225 Degree B-Axis Milling Speeds to 6,000 RPM, Y-Axis, Programmable Steady Rest, 40 Position ATC, Probing, Chip Conveyor, Prepped for High Pressure Coolant, OKUMA OSP-P300S CNC Control, Approx. 4500 Hours, sn:164537, mfg.2012



OKUMA MULTUS B400W X 2000II BIG BORE CNC MULTI-TASKING CENTER











2012

OKUMA GENOS L400E CNC TURNING CENTER



HURCO TM18 CNC TURNING CENTER



HAAS TL-3 CNC FLATBED LATHE



Download a lot book at www.asset-sales.com

CNC TURNING CENTERS & FLATBED LATHE

OKUMA Genos L400E CNC Turning Center with 10" 3-Jaw Chuck, Approx. 43" Turning Length, 3" Thru Spindle Bore, 20" Max. Swing, 12.9" Max. Turning Diameter, Spindle Speeds to 3,000 RPM, 9.25" X-Axis, 45" Z-Axis Travels, 12 Position Turret, Tailstock, Chip Conveyor, OKUMA OSP-P200LA-R CNC Control, Approx. 8,000 Hours, sn:PE343, mfg.2012

HURCO TM18 CNC Turning Center with 18" 3-Jaw Chuck, Approx. 68" Centers, 6" Thru Spindle Bore, 25" Swing Over Cross Slide, Spindle Speeds to 1,600 RPM, 17" X-Axis, 40" Z-Axis Travels, 12 Position Turret, Tailstock, Chip Conveyor, HURCO MAX CNC Control, sn:11001062BFAH, mfg.2011

HAAS TL-3 CNC Flatbed Lathe with 12" 3-Jaw Chuck, 3.25" Thru Spindle Bore, 20" Swing, 60" Centers, Spindle Speeds to 1,800 RPM, Coolant, Tailstock, ALORIS Styled Toolpost, HAAS CNC Control & Chip Guard, Approx. 4,500 Hours, sn:3093587, mfg.2012











ZMM-BULGARIA OIL COUNTRY ENGINE LATHE



KINGSTON CP1000 FLATBED CNC CHUCKER



HURCO VMX50 4-AXIS CNC VERTICAL MACHINING CENTER

INSPECTION EQUIPMENT

ZEISS ACCURA II CNC Coordinate Measuring Machine with 50" x 65" Capacity, VAST XT Probe, Multi-Sensor Rack with 5 Point Tip, VAST XXT Tilt, RDS-CAA, Joystick Remote Operators Control, Computer & Software, sn:201206820034, mfg.2012

MITUTOYO PH-A14 14" Programmable Optical Comparator with T-Slot Work Table, QM-Data 200 Control, sn:7641207, mfg. approx. 2012

MITUTOYO LH-600 Electronic Programmable Height Gage, sn:400391206, mfg.2012 **MITUTOYO** CV-600A SPI Pedestal Hardness Tester, sn:13150

STEEL STOCK & JIB CRANES

Huge Assortment of Steel Stock, Most with Certifications Consisting of Stainless Steel, Aluminum & Steel Barstock up to 8" Diameter x 12' Length, Square Aluminums, Numerous Adjustable Cantilevers

(7) 1-Ton **HSI** Freestanding Pedestal Jib Cranes with **HARRINGTON** Electric Hoists and Pendant Controls, mfg.Late

BIG BORE LATHE & CNC CHUCKER

ZMM-BULGARIA C10T.12 Oil Country Engine Lathe with 25" Front & Rear Chucks, 12.5" Thru Spindle Bore, 31" Swing x 120" Centers, 22" Swing Over Cross Slide, Spindle Speeds to 480 RPM, Taper Attachment, Inch/Metric Threading, NEWAL DRO, sn:397970-2012, mfg.2012

KINGSTON CP1000 Flatbed CNC Chucker with 25" 3-Jaw Front & Rear Chucks, 7" Thru Spindle Bore, Spindle Speeds to 750 RPM, 10 Position Turret, Coolant, Chip Conveyor, FANUC OITD CNC Control with Remote Pulse Generator, sn:10P980422C, mfg.2011

CNC VERTICAL MACHINING CENTERS. 3&4 AXIS

HURCO VMX50 4-Axis CNC Vertical Machining Center with 12" 4th Axis Rotary Table, 59" x 26" Table, #50 Spindle Taper Speeds Approx. to 8000 RPM, 50" X-Axis, 26" Y-Axis, 24" Z-Axis Travels, 30 Position ATC, Chip Conveyor, HURCO CNC Control, sn:M553-16002042DLAS, mfg.2012

HURCO VM30i CNC Vertical Machining Center with 52" x 20" Table, #40 Spindle Taper Speeds to Approx. 10,000 RPM, 50" X-Axis, 20" Y-Axis, 20" Z-Axis Travels, 20 Position ATC, Chip Conveyor, **HURCO** CNC Control, Approx. 4,700 Hours, sn:S30-1600275EAAAH, mfg.2015

HURCO VM30 4-Axis CNC Vertical Machining Center with 8-1/2" 4th Axis Rotary Table, 52" x 18" Table, #40 Spindle Taper with Speeds to Approx. 10,000 RPM, 50" X-Axis, 20" Y-Axis, 20" Z-Axis Travels, 16 Position ATC, Chip Conveyor, HURCO MAX CNC Control, sn:S30-1600244DAAAH, mfg.2014

HURCO VM10 CNC Vertical Machining Center with 30" x 16" Table, #40 Spindle Taper Speeds to Approx. to 10,000 RPM, 26" X-Axis, 16" Y-Axis, 20" Z-Axis Travel, 20 Position ATC, HURCO MAX CNC Control, sn:VM10-18023072CBPH, mfg.2012



HURCO VM30i CNC VERTICAL MACHINING CENTER



HURCO VM30 4-AXIS CNC VERTICAL MACHINING CENTER



HURCO VM10 CNC VERTICAL MACHINING CENTER



COSEN C-460NC 18" HORIZONTAL BAND SAW



MITUTOYO PROGRAMMABLE OPTICAL COMPARATOR



ZEISS ACCURA BRIDGE TYPE COORDINATE MEASURING MACHINE





WILLIS VERTICAL MILLING MACHINE



G&L BICKFORD RADIAL ARM DRILL



1 OF 7 JIB CRANES

HORIZONTAL BAND SAW

COSEN C-460NC 18" Horizontal Band Saw with PLC Control, sn:C1011179, mfq.2012

WATERJETS, MACHINE SHOP & SUPPORT EQUIPMENT

(2) OMAX MAXIEM CNC Waterjet Cutting Machines, Model 1515 with 5' x 5' Capacity Tables, Approx. 30HP Pumps, CNC Control, sn:M15155172, mfg.2013 ● sn:M15155139, mfg.2013

WILLIS 5000VS 5HP Variable Speed Vertical Milling Machine with 12" x 59" Power Feed Work Table and Longitudinal Travels, #40 Taper Spindle Speeds Variable to 3600 RPM, **NEWALL** DP700 DRO, sn:201409031, mfg.2014

G&L BICKFORD Chipmaster 3' \times 9" Radial Arm Drill with 20" Rotary Tilt Table, Power Elevation, Clamping, Push Button Operators Controls, sn:951-00596-75

TELESIS Pinstamp TMP 1700 2 Axis Programmable Part Marking System, Manual Elevation, Drilled and Tapped Worktable & Programmable Pendant Control

TONS of Tooling & Support Equipment including Double End Grinders, Belt Sanders, Bench Vises, Tool Carts, Boring Bars, Spade Drills, Drill Indexes, Mill Fixtures, End Mills, Micrometers, Gauge Blocks, Flex Collets, V-Blocks, Chuck Jaws, Indexers and **KURT** Vises, #40/50 Taper Toolholders, Lathe Tooling, Hand Tools, Toolboxes, **VIDMAR** & Flammable Cabinets, Tilt-Hoppers and Steel Tables, Office Furniture, Plus More!



163 Associates Lane Indian Trail, North Carolina 28079 Toll Free: 888.800.4442 Direct: 704.821.4315

Fax: 704.821.4325 - www.asset-sales.com

Asset Sales Inc. • Lance Mannion - North Carolina License #6003 & 6625

















OKUMA MULTUS B400II CNC MULTI-TASKING CENTER

ABBREVIATED TERMS & CONDITIONS OF **AUCTION**

PARTICIPATION AND BIDDING ARE CONSIDERED A LEGALLY BINDING CONTRACT - IT IS PROHIBITED TO BID ON ANY ITEM THAT YOU CANNOT PAY FOR IN FULL BY THE SPECIFIED DATE OR REMOVE BY DESIGNATED DATE.

Subject to amendments and modifications announced by Asset Sales, Inc. and Bidspotter at the time of the auction, any person participating in the webcast auction will be bound by the following terms and conditions. Neither Asset Sales, Inc. nor Bidspotter warrant the accuracy, authenticity, description, weight, count or measure of any listings specified herein.

All articles will be sold to the highest webcast bidder conforming to the bid process in accordance to the AUCTION COMPANY'S TERMS & CONDITIONS - COMPLETE COPIES AVAIL-ABLE AT WWW.ASSET-SALES.COM. No article shall be removed unless paid in full and all articles purchased shall be removed in the time allocated by Asset Sales, Inc.. No item, no matter how small or how far the purchaser has to travel, may be removed until after the online auction is completely closed.

All payments shall be by wire transfer. All bidding and invoicing will be in US Dollars (\$).

All bidders are responsible for all applicable taxes, in addition a 18% Buver's Premium is implemented for all online sales.

Rigging/ Removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging/Removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging will require a certificate of insurance for \$1,000,000.00 naming Asset Sales, Inc. as the

ALL ONLINE SALES ARE FINAL, ON AN "AS IS - WHERE IS." "IN PLACE." "WITH ALL FAULTS" BASIS.

REGISTRATION & BIDDING ONLINE:

When participating as a buyer via Bidspotter. com, you must be pre-approved by Asset Sales, Inc. The pre-approval process is easy, but necessary. Asset Sales, Inc. will verify telephone number and confirm agreement to the Terms and Conditions.

ANYONE OUTSIDE OF THE CONTINENTAL UNITED STATES WILL BE REQUIRED TO WIRE TRANSFER A MINIMUM DEPOSIT OF \$5000 TO BE APPROVED.

WEBCAST AUCTION

FORUM ENERGY TECHNOLOGIES

HYDRAULIC TORQUE MACHINERY & CNC MACHINE SHOP

MISSOURI CITY, TX

WEDNESDAY, SEPTEMBER 30TH @ 10:00 A.M. CDT