

PLANT
CLOSED

EVERYTHING
MUST SELL!

Webcast Auction

TRI-AEROSPACE

AEROSPACE CNC MACHINE SHOP

1055 S. HUNT STREET - TERRE HAUTE, IN 47803

THURSDAY, NOVEMBER 12TH @ 10:00 A.M. EST

Inspection: Wednesday, November 11th From 8:00 A.M. - 4:00 P.M. EST



CINCINNATI GEMINEX H5-800 5-AXIS CNC HORIZONTAL MACHINING CENTER



(3) NEW CENTURY TURN CNC VERTICAL BORING MILLS



HNK HB-100 4-AXIS CNC HORIZONTAL BORING MILL



MAZAK MTV-655/80N CNC VERTICAL MACHINING CENTER



Asset Sales, Inc.

Corporate Headquarters
163 Associates Lane
Indian Trail, NC 28079

Toll Free 888.800.4442 704.821.4315 Fax 704.821.4325
www.asset-sales.com info@asset-sales.com

European Headquarters
6 Hill End Close, Norwood Green
Halifax, West Yorkshire, HX3 8RH
Tel / Fax 07836.347880
peteram@asset-sales.co.uk



BidSpotter.com



NEW CENTURY TURN 96 CNC VERTICAL BORING MILL



NEW CENTURY TURN 63 CNC VERTICAL BORING MILL



NEW CENTURY TURN 48 CNC VERTICAL BORING MILL

CNC VERTICAL BORING MILLS

NEW CENTURY TURN Model 96 CNC Vertical Boring Mill with 103" Max. Swing, 72" Under Rail, 4 Jaw Chuck with Jaws, 12 Position ATC with Capto C6, 60 HP, **FANUC** 18i-T CNC Control with Remote Pulse Generator, Chip Conveyor, sn:2075, Remanufactured 2002

NEW CENTURY TURN Model 63 CNC Vertical Boring Mill with 68" Max. Swing, 60" Under Rail, 4 Jaw Chuck with Jaws, 12 Position ATC with Capto C6, 60 HP, **FANUC** 18i-T CNC Control with Remote Pulse Generator, Chip Conveyor, sn:2032, Remanufactured 2001

NEW CENTURY TURN Model 48 CNC Vertical Boring Mill with 58" Max. Swing, 48" Under Rail, 4 Jaw Chuck with Jaws, 12 Position ATC with Capto C6, 60 HP, **FANUC** 18i-T CNC Control with Remote Pulse Generator, Chip Conveyor, sn:2026, Remanufactured 2001

CNC VERTICAL MACHINING CENTER

MAZAK MTV-655/80N CNC Vertical Machining Center with 25" x 88" Table, #50 Taper Spindle Speeds to Approx. 6,000 RPM, 78" X-Axis Travel, 26" Y, 26" Z, 30 Position ATC, Chip Conveyor, **MAZATROL** M PLUS CNC Control with Remote Pulse Generator, sn:137017

OKUMA MC-6VAE CNC Vertical Machining Center with 4th Axis Interface, 25" x 60" Table, #50 Spindle Taper Speeds to Approx. 6,000 RPM, 59" X-Axis Travel, 24" Y, 24" Z, 20 Position ATC, OSP5000M CNC Control with Remote Pulse Generator, sn:0119

OKUMA MC-50VA CNC Vertical Machining Center with 4th Axis Interface, 20" x 52" Table, #50 Spindle Taper Speeds to Approx. 6,000 RPM, 41" X-Axis Travel, 20" Y, 22", 20 Position ATC, **OKUMA** CNC Control with Remote Pulse Generator, sn:0187



OKUMA MC-6VAE CNC VERTICAL MACHINING CENTER



OKUMA MC-50VA CNC VERTICAL MACHINING CENTER



MAZAK MTV-655/80N CNC VERTICAL MACHINING CENTER

CNC TURNING CENTERS

OKUMA LC40 4-Axis Simulturn CNC Turning Center with Chuck, Approx. 39" Turning Length, 3.54" Bore, 24" Max. Swing, Spindle Speeds to 2,500 RPM, 12 Position Upper / 8 Position Lower Turret, Programmable Tail Stock, Chip Conveyor, **OSP 5000L** CNC Control, sn:0752

OKUMA LC30-1ST 2-Axis CNC Turning Center with Chuck, Approx. 39" Turning Length, 20" Max. Swing, Spindle Speeds to 3,000 RPM, 12 Position Turret, Chip Conveyor, **OSP 5000L** CNC Control, sn:1136

OKUMA LC20-2ST 4-Axis Simulturn CNC Turning Center with 20" Maximum Swing, 29" Turning Length, Spindle Speeds to 3,000 RPM, 8 Position Upper Turret, 8 Position Lower Turret, **OKUMA OSP5000L** CNC Control, Chip Conveyor, sn:2687

Download a lot book at www.asset-sales.com



OKUMA LC40 4-AXIS SIMULTURN CNC TURNING CENTER



OKUMA LC30-1ST 2-AXIS CNC TURNING CENTER



OKUMA LC20-2ST 4-AXIS SIMULTURN CNC TURNING CENTER



KURAKI KBT11DX-A 4-AXIS CNC HORIZONTAL BORING MILL



HNK HB-110 4-AXIS CNC HORIZONTAL BORING MILL

CNC HORIZONTAL BORING MILLS & MACHINING CENTERS

HNK HB-110 4-Axis CNC Horizontal Boring Mill with 4.33" Diameter Spindle, 55" x 63" Built In 4th Axis Rotary Table, #50 Taper Spindle Speeds to Approx. 2,500 RPM, 78" X-Axis Travel, 78" Y, 51" Z, 40 Position ATC, CoolJet High Pressure Coolant System, Chip Conveyor, **FANUC** 16M CNC Control, sn:00017, mfg.2000

KURAKI KBT11DX-A 4-Axis CNC Horizontal Boring Mill with 4" Diameter Spindle, 48" x 56" Built In 4th Axis Rotary Table, #50 Taper Spindle Speeds to Approx. 5,000 RPM, 67" X-Axis Travel, 50" Y, 46" Z, 40 Position ATC, Chip Conveyor, **FANUC** 15M CNC Control, sn:2611

CINCINNATI GEMINEX H5-800 5-Axis CNC Horizontal Machining Center with (4) 39.4" Automatic Pallet Changing System, Pallet Rotates .001 Degree, #50 Taper Spindle with Speeds to Approx. 8,000 RPM, 61" X-Axis Travel, 47.8" Y, 47.2" Z, B-Axis Spindle Tilts +/- 180°, Wired for Probing, 240 Position ATC, Chip Conveyor, **SIEMENS** Acramatic 2100 5-Axis CNC Control, sn:ZDOOA03030001, mfg.2003

CINCINNATI T30-5 5-Axis CNC Horizontal Machining Center with 31.5" x 31.5" 4th Axis Rotary Table, 360° B-Axis Rotation, A-Axis Spindle Head Tilts +B4/-104°, #50 Taper Speeds to 6,000 RPM, Approx. 60" X-Axis Column Cross Travel, 72" Y-Axis Vertical, 60" Z-Axis Table Slide, 50 Position ATC, Thru-Spindle Coolant & **FANUC** 31i-A5 CNC Control, sn:3123C0191-0012, Rebuilt 2014

MILL & DRILL

BRIDGEPORT Variable Speed Vertical Milling Machine with 2 HP, 4,200 RPM, 9" x 48" Table, **ACU-RITE** 2-Axis Read Out, sn:12BR246883, mfg.1986

CARLTON 5' x 17" Column Radial Arm Drill with 15 - 1,500 RPM Spindle, L Shape Base, Power Elevation with Drill Table, sn:2234

AIR COMPRESSOR

ATLAS COPCO GA15FF Rotary Screw Compressor with 20 HP, sn:All265718, mfg.2002

CHAMPION R30D 15 HP 2-Stage Reciprocating Air Compressor, sn:R0002063 mfg.2002



CINCINNATI GEMINEX H5-800 5-AXIS CNC HORIZONTAL MACHINING CENTER



ATLAS COPCO ROTARY SCREW COMPRESSOR

**REBUILT
2014**

**5
AXIS**



CINCINNATI T30-5 5-AXIS CNC HORIZONTAL MACHINING CENTER

WELDERS, BAND SAW & SUPPORT EQUIPMENT

MILLER Syncrowave 300 Arc Welder, sn:JF865170

MILLER Syncrowave 350 LX Arc Welder, sn:LG140096L, mfg.2006

(2) Pedestal Grinders

DOALL 1612-1 16" Vertical Band Saw with 24" x 24" Table, 50-5,200 RPM, sn:148-62493

MASTER VIEW Shadow Graff Comparator

PARKER MAJESTIC ZM 6" x 18" Hand Feed Surface Grinder

Large Assortment of Tooling & Support Equipment Including: Air Tanks, #50 Tool Holders, Steel Racks, 4th Axis Rotary Tables & Controllers, Right Angle Head Attachment for **KURAKI**, Misc. Chip Totes, Etc.

FLUORESCENT PENETRANT INSPECTION

FPI LINE with 3 Separate Booths, Penetrant Application: Rinse, Dryer & Reading, 60" Wide x 60" Long x 52" Tall, Each Booth has Spring Assisted Metal Doors, Manually Operated to Raise & Lower, **TRITAN** 365 Handheld Black / White Light



BRIDGEPORT VARIABLE SPEED KNEE MILL



CARLTON 5' X 17" COLUMN RADIAL DRILL



FLUORESCENT PENETRANT INSPECTION





Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane
Indian Trail, North Carolina 28079

Toll Free: 888.800.4442 Direct: 704.821.4315

Fax: 704.821.4325 – www.asset-sales.com

Asset Sales Inc. • Lance Mannion – North Carolina License #6003 & 6625



NICE

MAZAK MTV-655/80N CNC VERTICAL MACHINING CENTER



ABBREVIATED TERMS & CONDITIONS OF AUCTION

YOUR PARTICIPATION AND BIDDING ARE CONSIDERED A LEGALLY BINDING CONTRACT – IT IS PROHIBITED TO BID ON ANY ITEM THAT YOU CANNOT PAY FOR IN FULL BY THE SPECIFIED DATE OR REMOVE BY DESIGNATED DATE.

Subject to amendments and modifications announced by Asset Sales, Inc. and Bidspotter at the time of the auction, any person participating in the webcast auction will be bound by the following terms and conditions. Neither Asset Sales, Inc. nor Bidspotter warrant the accuracy, authenticity, description, weight, count or measure of any listings specified herein.

All articles will be sold to the highest webcast bidder conforming to the bid process in accordance to the AUCTION COMPANY'S TERMS & CONDITIONS – COMPLETE COPIES AVAILABLE AT WWW.ASSET-SALES.COM. No article shall be removed unless paid in full and all articles purchased shall be removed in the time allocated by Asset Sales, Inc.. No item, no matter how small or how far the purchaser has to travel, may be removed until after the online auction is completely closed.

All payments shall be by wire transfer. All bidding and invoicing will be in US Dollars (\$).

All bidders are responsible for all applicable taxes, in addition a 18% Buyer's Premium is implemented for all online sales.

Rigging/ Removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging/Removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging will require a certificate of insurance for \$1,000,000.00 naming Asset Sales, Inc. as the insured.

ALL ONLINE SALES ARE FINAL, ON AN "AS IS – WHERE IS," "IN PLACE," "WITH ALL FAULTS" BASIS.

REGISTRATION & BIDDING ONLINE:

When participating as a buyer via Bidspotter.com, you must be pre-approved by Asset Sales, Inc. The pre-approval process is easy, but necessary. Asset Sales, Inc. will verify telephone number and confirm agreement to the Terms and Conditions.

ANYONE OUTSIDE OF THE CONTINENTAL UNITED STATES WILL BE REQUIRED TO WIRE TRANSFER A MINIMUM DEPOSIT OF \$5000 TO BE APPROVED.

WEBCAST AUCTION

TRI-AEROSPACE

AEROSPACE CNC MACHINE SHOP
TERRE HAUTE, IN

THURSDAY, NOVEMBER 12TH @ 10:00 A.M. EST